

Spin-Jet Nozzle SIBR

FOR FLEX LANCE APPLICATIONS / 1500 BAR

- + INNOVATIVE DESIGN
- + SHORT DELIVERY TIME
- + PERFECT CLEANING WITHOUT "STRIPES"
- + MAX. WORKING PRESSURE 1500 BAR

**MADE BY
DERC**

Spin-Jet Nozzle SIBR

FOR FLEX LANCE APPLICATIONS / 1500 BAR


The SIBR model is designed for high pressure water jetting tubes and lines where perfect clean without any "stripes" is necessary. The nozzle can be delivered with a front-jet nozzle for removal of plugs. Due to the pulling jets the SIBR model is very suitable for flex lance applications both manual or (semi) automatic.

The SIBR model has a rotor with 4 jets

- 2x 90° for cleaning of the tube wall
- 2x 45° for pulling and transportation of the dirt
- Optional front jet for removal of any plugs

Applications

- General Pipe and Tube Cleaning
- Heat exchanger cleaning
- IRIS inspection



SPIN-JET NOZZLE SIBR

Ø (MM)	L (MM)	KEY	CONNECTION	NO FRONT	WITH FRONT	MAX. PRESSURE
Ø6	40	4	M5 M	-	6006.21	400 - 6K
Ø8	45	6	M5 F	7008.2	7008.21	1000 - 15K
Ø10	50	8	M7X1 F	6010.2	6010.21	1500 - 22K
Ø10	50	8	1/16 NPT F	6010.2116	6010.21116	1000 - 15K
Ø10	50	8	1/4" UNFMPLH F	6010.214MPL	6010.2114MPL	1500 - 22K
Ø10	56	8	5/16" UNF M	6010.2516	6010.21516	1000 - 15K
Ø12	55	10	1/8" BSP F	6012.2	6012.21	1000 - 15K
Ø12	55	10	1/8" NPT F	6012.218	6012.2118	1000 - 15K
Ø12	55	10	3/8 UNFMPLH F	6012.238MPL	6012.2138MPL	1500 - 22K
Ø18	64	16	1/4" BSP F	6018.2	6018.21	1000 - 15K
Ø18	64	16	1/4" NPT F	6018.214	6018.2114	1000 - 15K
Ø18	64	16	9/16" UNFMPLH F	6018.2916MPL	6018.21916MPL	1500 - 22K
Ø28	77	25	1/4" BSP F	6028.2	6028.21	1250 - 18K
Ø40	97	36	M24X1.5 F	7040.2	7040.21	1250 - 18K

DERC SALOTECH - ORIGINAL EQUIPMENT MANUFACTURER AND SUPPLIER OF INNOVATIVE HIGH PRESSURE WATER JETTING SOLUTIONS, AUTOMATED EQUIPMENT AND ACCESSORIES. WE PROVIDE STATE OF THE ART KNOWLEDGE AND SERVICES.